

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO). F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/023,309	10/023,309 12/15/2001		Gary Smith	US47	2338	
30233	7590	04/05/2006		EXAM	EXAMINER	
TROPIAN		EER DIID	AGHDAM, FRESHTEH N			
	20813 STEVENS CREEK BLVD. CUPERTINO, CA 95014			ART UNIT	PAPER NUMBER	
	·			2611		
				DATE MAIL ED: 04/05/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		ď				
	Application No.	Applicant(s)				
	10/023,309	SMITH, GARY				
Office Action Summary	Examiner	Art Unit				
<u> </u>	Freshteh N. Aghdam	2611				
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wit	h the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 136(a). In no event, however, may a re will apply and will expire SIX (6) MONT te, cause the application to become ABA	ATION. ply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20.	January 2006.					
2a)⊠ This action is FINAL . 2b)□ Thi	This action is FINAL . 2b) This action is non-final.					
Since this application is in condition for allowance except for formal matters, prosecution as to the ments is						
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims		•				
 4) Claim(s) 1-10 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-8 is/are rejected. 7) Claim(s) 9-10 is/are objected to. 	awn from consideration.					
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to be drawing(s) be held in abeyand ction is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Aporty documents have been au (PCT Rule 17.2(a)).	oplication No received in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application (PTO-152) 				

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 1/20/2006 have been fully considered but they are not persuasive.

Applicant's Arguments: On page pages 8 and 9, regarding the independent claims 1 and 3, applicant argues that the claimed invention is not taught or suggested by Kerth ""recombining the digital representation of the down converted in-phase and quadrature components with a reconstruction filter" is used "to obtain a baseband signal substantially free of image artifacts[]' is present in Kerth. The citation to Kerth is from "Col. 8, Lines 24-Col. 9, Line 21", with no further delineation of specifically where within this broad expanse of art any of the individual components or steps might exist". On pages 13 and 14, regarding the independent claim 6, applicant argues that the claimed invention is not taught or suggested by Tapio "performing downconversion of the received RF signal to produce analog I and Q signals ... logically combining the digital signal with [a] digital reference signal ... to produce an image-cancelled digital baseband signal ... is then performed". On pages 17 and 18, regarding the independent claim 8, applicant argues that the claimed invention is not taught or suggested by Kerth "a first frequency downconversion circuit employing a first local oscillator for downconverting in-phase and quadrature signal components of a digitized communication signal to a first intermediate frequency ... a mixing circuitry is employed

Art Unit: 2611

to mix the respective single serial digital bit stream in-phase and single serial bit stream guadrature phase signals through a set of logic gates to produce a digital representation of downconverted in-phase and quadrature components".

Examiner's Response: With regards to the argument(s) of the independent claims 1 and 3, Kerth teaches recombining the digital representation of the down converted in-phase and quadrature components with a reconstruction filter in a manner to obtain a baseband signal substantially free of image artifacts (Fig. 4, means 427, 436, and 120; Col. 8, Lines 24-Col. 9, Line 21; Col. 11, Lines 56-63). Kerth discloses that the downconverted digital in-phase and quadrature signal components are recombined with a digital filter in order to obtain a baseband signal (means 427,436, and 120), wherein the digital filter does various filtering operations (Col. 9, Lines 3-11). One of ordinary skill in the art would recognize that rejecting noise and image artifacts is one of the various filtering operations in every circuitry or device to enhance the system performance. With regards to the argument(s) of the independent claim 6, Tapio teaches performing down conversion to produce analog I and Q signal (Fig. 6 and 9; IIN-BB and QIN-BB); and combining the digital signal with the digital reference signal to produce an image cancelled (Par. 17) digital baseband signal (Fig. 9; Par. 16-18). With regards to the independent claim 8, Kerth teaches a first frequency down-conversion circuitry employing a first local oscillator (Fig. 2 and 4, means 222, 409) for downconverting in-phase and quadrature signal components of a communication signal to a first intermediate frequency; ADC (analog to digital converter) for generating an inApplication/Control Number: 10/023,309

Art Unit: 2611

phase and quadrature bit streams (Fig. 4, means 418, 421); a digital I and Q down-converter (Fig. 4, means 427 and 430) down-converts the digital one bit streams I and Q into a down-converted in-phase and quadrature signals, wherein the items being mixed to produce the digital components are streams of data related to the first frequency (Fig. 4, means 409, 418, and 427; and reconstruction filter is coupled to a digital down-converter to recover in-phase and quadrature signals from the down-converted in-phase and quadrature components substantially free of image artifacts (Col. 8, Lines 24- Col. 9, Line 21).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kerth et al (US 6,804,497), and further in view of Stevenson (US 6,674,812).

As to claims 1 and 3, Kerth teaches a digital intermediate frequency down-conversion circuitry for down converting in-phase and quadrature signal components of a digitized communication signal comprising: processing a single serial digital bit stream formed of the in-phase and quadrature signal components of the digitized

Application/Control Number: 10/023,309

Art Unit: 2611

communication signal logically to produce a digital representation of down converted inphase and quadrature compronents; and recombining the digital representation of the down converted in-phase and quadrature components with a reconstruction filter in a manner to obtain a baseband signal substantially free of image artifacts (Fig. 4, means 418, 427, 436, and 120; Col. 8, Lines 24- Col. 9, Line 21; Col. 11, Lines 56-63). Kerth is silent about processing the digital in-phase and quadrature signals through a set of simple logic to produce digital representation of downconverted in-phase and quadrature components. One of ordinary skill in the art would clearly recognize that digital signals are processed logically and use of logic elements such as AND, OR, XOR, XNOR gates to mix and/or combine digital bits are well known in the art as evidenced by Stevenson see (Col. 9, Lines 55-57). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Stevenson with Kerth in order to use logic elements such as AND, OR, XOR, XNOR gates to mix and/or combine digital bits to function in desirable manner.

Claims 2 and 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kerth et al and Stevenson, further in view of Horner et al (US 5,357,544), and Baltus (US 5,808,509).

As to claims 2 and 4-5, Kerth teaches generating a reference signal as a sine wave (Fig. 4). One of ordinary skill in the art would clearly recognize that since the reference signal is mixed with the digitized in-phase and quadrature components according to a clock signal (Fig. 2; Col. 5, Lines 4-20); therefore, it is a sine wave. Kerth and Stevenson teach recombining digitally the in-phase and quadrature signals to

Art Unit: 2611

obtain a digitally combined signal (Fig. 4, means 436 is a IIR or FIR). Kerth is silent about employing an oversampled digital word of four bits in length from a source digital oscillator as a reference signal to achieve at least sixteen levels of accuracy as a sine wave and binary weighting the combined signal into a digital reconstruction filter to produce a downconverted signal that is unaffected by resistor tolerance. Horner teaches the reference signal generator 24 that is a periodic oversampled digital word generated from a 128 point cosine wave stored in the cosine table 28 by taking eight entries spaced sixteen points (Fig. 2; Col. 4, Lines 55-65). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Horner with Kerth and Stevenson in order to obtain or achieve the desired resolution (Col. 4, Lines 60-64). Baltus teaches binary weighting by applying resistor means to the filtered down converted signal and producing Intermediate Frequency signals IF1-IF4 (Fig. 3; Col. 3, Lines 32-43). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Baltus with Kerth, Stevenson, and Horner in order to binary weighting the combined signal for forming the intermediate frequency signals IF1-IF4 to provide an accurate quadrature receiver that is low cost and has reduced power consumption (Col. 1, Lines 38-40).

Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tapio (US 2002/0105378), and further in view of Stevenson.

As to claim 6, Tapio teaches performing down conversion to produce analog I and Q signal (Fig. 6 and 9; IIN-BB and QIN-BB); oversampling the analog signal to obtain an oversampled digital signal (Fig. 9, means 71 and 72); producing a periodic

Art Unit: 2611

oversampled digital reference signal (Fig. 9, means DDS CARRIER); and combining the

baseband signal (Fig. 9; Par. 16-18). Tapio is silent about logically combining the digital

signal with the digital reference signal. One of ordinary skill in the art would clearly

digital signal with the digital reference signal to produce an image cancelled digital

recognize that digital signals are combined logically and use of logic elements such as

AND, OR, XOR, XNOR gates to mix and/or combine digital bits are well known in the art

as evidenced by Stevenson see (Col. 9, Lines 55-57). Therefore, it would have been

obvious to one of ordinary skill in the art to combine the teaching of Stevenson with

Tapio in order to use logic elements such as AND, OR, XOR, XNOR gates to mix and/or

combine digital bits to function in desirable manner.

As to claim 7, Tapio teaches converting the digital baseband signal to an analog baseband signal (Fig. 3, means 1 and 3).

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kerth et al, further in view of Stevenson and Baltus et al.

As to claim 8, Kerth teaches a first frequency down-conversion circuitry employing a first local oscillator (Fig. 2 and 4, means 222, 409) for down-converting inphase and quadrature signal components of a communication signal to a first intermediate frequency; ADC (analog to digital converter) for generating an in-phase and quadrature bit streams (Fig. 4, means 418, 421); a digital I and Q down-converter (Fig. 4, means 427 and 430) down-converts the digital one bit streams I and Q into a down-converted in-phase and quadrature signals; and reconstruction filter is coupled to a digital down-converter to recover in-phase and quadrature signals from the down-

converted in-phase and quadrature components substantially free of image artifacts (Col. 8, Lines 24- Col. 9, Line 21). One of ordinary skill in the art would clearly recognize that it is well known in the art to down-convert and baseband in-phase and quadrature signal in one step. One of ordinary skill in the art would clearly recognize that in order to down covert the digital I and Q signals, a digital oscillator could be used to be mixed with the digital I and Q signals. Kerth is silent about a mixing circuitry that employs a set of logic gates. One of ordinary skill in the art would clearly recognize that digital signals are processed logically and use of logic elements such as AND, OR, XOR, XNOR gates to mix and/or combine digital bits are well known in the art as evidenced by Stevenson see (Col. 9, Lines 55-57). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Stevenson with Kerth in order to use logic elements such as AND, OR, XOR, XNOR gates to mix and/or combine digital bits to function in desirable manner. Kerth is silent about weighting resistances in series with the outputs of the logic gates for combining the digital representation of the down-converted inphase and quadrature components according to a value in-phase and a quadrature phase signals. Baltus teaches applying weighting resistances in series with the outputs of the digital mixers 20 to the filtered down converted signal and producing intermediate frequency signals IF1-IF4 (Fig. 3; Col. 3, Lines 32-45). Therefore, it would have been obvious to one of ordinary skill in the art to combine the teaching of Baltus with Kerth and Stevenson in order to binary weighting the combined signal for forming the intermediate frequency signals IF1-IF4 to provide an accurate quadrature receiver that is low cost and has reduced power consumption (Col. 1, Lines 38-40).

Allowable Subject Matter

Claims 9-10 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

As to claims 9-10, the prior art of record fails to teach the limitations cited in the claims.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Freshteh N. Aghdam whose telephone number is (571)

Application/Control Number: 10/023,309

Page 10

Art Unit: 2611

272-6037. The examiner can normally be reached on Monday through Friday 9:00-5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on (571) 272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Freshteh Aghdam March 22, 2006 MM M MUD KEVIN BURD PRIMARY EXAMINER